



BRAND NAME:

MIMOSA XS POWDER

A light-coloured, minimum astringency, spray-dried and dedusted mimosa extract powder.



MIMOSA

WATTLE BARK EXTRACT

For further information please contact:

UCL COMPANY LIMITED

Registration No.: 2005/017711/06

Email: mimosasales@ucl.co.za | www.uclweb.co.za

TYPE **SULPHONATED**

BRAND NAME:

MIMOSA XS POWDER

PROPERTIES

- Yellowish brown powder
- High tannin content
- Minimum astringency
- Improved light-fastness
- Very rapid penetration
- Extreme cold water solubility
- Dedusted

Technical Specifications

Tans % Typical ^A	Moisture % Max	pH Range ^B	Lovibond Colour R/Y Max	Ash % Typical
61	8	4.0-5.0	1.0/2.0	12.0

A. Official SLTC Shake Method

B. 10 % m/v Aqueous Solution



*Automotive and Furniture
 Upholstery Leathers*

APPLICATION

For retanning of leathers, particularly automotive and furniture upholstery leathers.

STORAGE

Store product in cool, dry conditions and away from direct sunlight. Use product on a first-in-first-out basis.

TOXICOLOGICAL INFORMATION

For MSDS (Material Safety Data Sheet) please contact us at mimosasales@ucl.co.za.

PACKAGING

25 kg woven polypropylene bags with polyethylene inner liners.

DISCLAIMER This specification is provided "as is" and without any warranty or representation of any kind, express or implied. Without limitation, there is no warranty of non-infringement, no warranty of merchantability, and no warranty of fitness for a particular purpose. All warranties are expressly disclaimed. User assumes the full risk of using the specification. In no event shall UCL COMPANY LIMITED, or any of its personnel be liable for any actual, direct, indirect, punitive, or consequential damages arising from such use, even if advised of the possibility of such damages.



UCL COMPANY LIMITED

Telephone: +27 33 501 1600 | Facsimile: +27 33 501 1187 | Address: 16 Noodsberg Road, Dalton | Postal: P.O. Box 1, Dalton, KwaZulu-Natal, 3236, South Africa

TYPE: SULPHONATED